



## PSYCHOSOCIAL EFFECTS OF BIOTERRORISM

### BIBLIOGRAPHY

- Acosta, J. K., & Levenson, R. L. (2002). Observations from ground zero at the World Trade Center in New York City, Part II: Theoretical and clinical considerations. *International Journal of Emergency Mental Health, 4*, 119-126.
- Allds, M., & Ludwick, R. (2003). One year later: The impact and aftermath of September 11. Retrieved from <http://www.nursingworld.org/ojin/topic19/tpc19lnx.htm>
- American Academy of Child & Adolescent Psychiatry. (2002). Children and the news. Retrieved from <http://www.aacap.org/publications/factsFam/67.htm>
- American Academy of Experts in Traumatic Stress, (2001). *A practical guide for crisis response in our schools*. New York: The American Academy of Experts in Traumatic Stress.
- American Medical Association (2003). Psychosocial resources. Retrieved from <http://www.ama-assn.org/ama/pub/printcat/6217.html>
- American Psychiatric Association (2003). Stress management for health care providers. Retrieved from [http://www.psych.org/public\\_info/stressmgmt\\_health91801.cfm](http://www.psych.org/public_info/stressmgmt_health91801.cfm)
- American Psychiatric Association (2003). Special populations. Retrieved from [http://www.psych.org/pract\\_of\\_psych/dpc\\_populations.cfm](http://www.psych.org/pract_of_psych/dpc_populations.cfm)
- American Red Cross (2003). Retrieved from <http://www.redcross.org/services/disaster/beprepared/forchildren.html>
- Amir, M., Kaplan, Z., Kotler, M. (1996). Type of trauma, severity of posttraumatic stress disorder core symptoms, and associated features. *Journal of General Psychology, 123*(4), 341-351.
- Antai-Otong, D. (2001). Critical incident stress debriefing: A health promotion model for workplace violence. *Perspectives in Psychiatric Care, 37*(4), 125-132
- Applewhite, L., Dickins, C. (1997). Coping with terrorism: the OPM-SANG experience. *Military Medicine, 162*(4), 240-

- Baker, D. R. (2002). A public health approach to the needs of children affected by terrorism. *Journal of the American Medical Womens Association*, 57, 117-118.
- Benedek, D.M., Holloway, H.C., Becker, S.M. (2002). Emergency mental health management in bioterrorism events. *Emergency Medicine Clinics of North America*, 20(2), 393-407.
- Bourque, L.B., Siegel, J.M., Shoaf, K.I. (2002). Psychological distress following urban earthquakes in California. *Prehospital and Disaster Medicine*, 17(2), 81-90.
- Chara, P. J., & Chara, K. A. (2001). Posttraumatic stress disorder among survivors of a kamikaze attack. *Psychological Reports*, 89, 577-582.
- Clark, M. L., & Gioro, S. (1998). Nurses, indirect trauma, and prevention. *The Online Journal of Knowledge Synthesis for Nursing*. Retrieved from [http://www.stti.iupui.edu/library/ojksn/disaster/disaster\\_bib\\_article\\_4-c-iii-clark.htm](http://www.stti.iupui.edu/library/ojksn/disaster/disaster_bib_article_4-c-iii-clark.htm)
- Connect for Kids (2003). Help with the healing, on the Web. Retrieved from [http://www.connectforkids.org/usr\\_doc/CopingWithGrief.html](http://www.connectforkids.org/usr_doc/CopingWithGrief.html)
- Department of Mental Health and Substance Dependence (2003). *Mental health in emergencies*. Geneva: World Health Organization.
- DiGiovanni, C. (2001). Pertinent psychological issues in the immediate management of a weapons of mass destruction event. *Military Medicine*, 166 (12), 59-60.
- Everly, G.S. (2000). Crisis management briefings (CMB): Large group crisis intervention in response to terrorism, disasters, and violence. *International Journal of Emergency Mental Health*, 2(1), 53-57.
- Everly, G. S. (2000). Five principles of crisis intervention: Reducing the risk of premature crisis intervention. *International Journal of Emergency Mental Health*, 2, 1-4.
- Faberow, N. L., & Gordon, N. S. (1981). *Manual for child health workers in major disasters* (DHHS Pub. #ADM81-1070). Rockville, MD: CMHS.
- Fassler, D. G. (1997). Talking to children about war and terrorism: 20 tips for parents. Retrieved from <http://www.aacap.org/publications/disasterresponse/20tips.htm>
- Felton, C. J. (2002). Project Liberty: A public health response to New Yorkers' mental health needs arising from the World Trade Center terrorist attacks. *Journal of Urban Health*, 79, 429-433.
- FEMA for Kids (2003). Retrieved from <http://www.fema.gov/kids/>

- Flannery, R.B. (1999). Psychological trauma and Posttraumatic Stress Disorder: A review. *International Journal of Emergency Mental Health*, 2, 135-140.
- Galea, S., Ahern, J., Resnick, H., et al. (2002). Psychological sequelae of the September 11 terrorist attacks in New York City. *New England Journal of Medicine*, 346, 982-987.
- Galea, S., Resnick, H., Ahern, J., et al. (2002). Posttraumatic stress disorder in Manhattan, New York City, after the September 11<sup>th</sup> terrorist attacks. *Journal of Urban Health*, 79, 340-353.
- Galliano, S. (2002). Critical incident processing. *Counselling*, 13(6), 18-20.
- DiGiovanni, C. (2001). Pertinent psychological issues in the immediate management of a weapons of mass destruction event. *Military Medicine*, 166 (12), 59-60.
- Hagerty, B.K., & Williams, R.A. (1999). The effects of sense of belonging, social support, conflict, and loneliness on depression. *Nursing Research*, 48(4), 215-219.
- Hagerty, B.M., Williams, R.A., Coyne, J.C., & Early, M. (1996). Sense of belonging and indicators of social and psychological functioning. *Archives of Psychiatric Nursing*, 10(4), 235-244.
- Hammond, J., Brooks, J. (2001). The World Trade Center attack: Helping the helpers: the role of critical incident stress management. *Critical Care*, 5(6),315-317.
- Herman, D., Felton, C., & Susser, E. (2002). Mental health needs in New York state following the September 11<sup>th</sup> attacks. *Journal of Urban Health*, 79, 322-331.
- International Council of Nurses (2003). Nursing matters--Terrorism and bioterrorism: Nursing preparedness. Retrieved from <http://www.icn.ch/matters>
- Jack, K., & Glied, S. (2002). The public costs of mental health response: Lessons from the New York City post-9/11 needs assessment. *Journal of Urban Health*, 79, 332-339.
- Kaplan, Z., Iancu, I., Bodner, E. (2001). A review of psychological debriefing after extreme stress. *Psychiatric Services*, 52(6),824-827.
- Kawana, N., Ishimatsu, S., & Kanda, K. (2001). Psycho-physiological effects of the terrorist sarin attack on the Tokyo subway system. *Military Medicine*, 166, 23-26.
- Koplewicz, H. S., Vogel, J. M., Solanto, M. V., et al. (2002). Child and parent response to the 1993 World Trade Center bombing. *Journal of Traumatic Stress*, 15, 77-85.
- Levenson, R.L., Acosta, J.K. (2001). Observations from Ground Zero at the World Trade Center in New York City, Part 1. *International Journal of Emergency Mental Health* 3(4),241-244.

- Levy, B. S., & Sidel, V. W. (2003). *Terrorism and public health: A balanced approach to strengthening systems and protecting people*. London: Oxford University Press.
- Longo, D.C., & Williams, R.A. (Eds.) (1986). *Clinical Practice in Psychosocial Nursing: Assessment and Intervention*, 2<sup>nd</sup> Ed. Norwalk, CT: Appleton-Century-Crofts.
- Luce, A., Firth-Cozens, J., Midgley, S., & Burges, C. (2002). After the Omagh bomb: Posttraumatic stress disorder in health service staff. *Journal of Traumatic Stress*, *15*, 27-30.
- Macnab, A.J., Russell, J.A., Lowe, J.P., & Gagnon, F. (1999). Critical incident stress intervention after loss of an air ambulance: Two-year followup. *Prehospital and Disaster Medicine*, *14*(1), 8-12.
- Mitchell, J. T., & Everly, G. S. (2001). *Critical incident stress debriefing: An operations manual for CISD, defusing and other group crisis intervention services* (3<sup>rd</sup> Ed.). Ellicott City, MD: Chevron Publishing.
- MMWR (2002). Impact of September 11 attacks on workers in the vicinity of the World Trade Center—New York City. *Morbidity & Mortality Weekly Report*, *51*, 8-10.
- MMWR (2002). Injuries and illnesses among New York City Fire Department rescue workers after responding to the World Trade Center attacks. *Morbidity & Mortality Weekly Report*, *51*, 1-5.
- MMWR (2002). Psychological and emotional effects of the September 11 attacks on the World Trade Center—Connecticut, New Jersey, and New York, 2001. *Morbidity & Mortality Weekly Report*, *51*, 784-786.
- Napoli, M. (2002). Debriefing after severe psychological trauma found harmful to some people. *Health Facts*, *27*, 5-7.
- National Center for PTSD (2003). Retrieved from [http://www.ncptsd.org/facts/disasters/fs\\_resources](http://www.ncptsd.org/facts/disasters/fs_resources)
- National Institute of Mental Health (2002). *Mental health and mass violence: Evidence-based early psychological intervention for victims/survivors of mass violence. A workshop to reach consensus on best practices*. NIH Publication No. 02-5138. Washington D.C.: U. S. Government Printing Office.
- National Institute of Mental Health (2003). Information about coping with traumatic events. Retrieved from <http://www.nimh.nih.gov/outline/traumatic.cfm>
- Nishiwaki, Y., Maekawa, K., Ogawa, Y., et al. (2001). Effects of sarin on the nervous system in rescue team staff members and police officers 3 years after the Tokyo subway sarin attack. *Environmental Health Perspectives*, *109*, 1169-1173.

- North, C. S. (2001). The course of post-traumatic stress disorder after the Oklahoma City bombing. *Military Medicine*, 166, 51-52.
- North, C. S., Tivis, L., McMillen, J. C., et al. (2002). Psychiatric disorders in rescue workers after the Oklahoma City bombing. *American Journal of Psychiatry*, 159, 857-859.
- Office for Victims of Crime Resource Center (2003). Coping after terrorism. Retrieved from [http://www.ojp.usdoj.gov/ovc/vfa/support/sup\\_coping.html](http://www.ojp.usdoj.gov/ovc/vfa/support/sup_coping.html)
- Parad, H. J., & Resnik, H. L. P. (1975). A crisis intervention framework. In H. L. P. Resnik & H. L. Ruben (Eds.). *Emergency Psychiatric Care*. Bowie, MD: Charles Press.
- Pessin, N., Lindy, D. C., Hicks, K., & Dreschler, A. (2002). Community mental health services of the Visiting Nurse Service of New York, USA. *Caring*, 21, 6-9.
- Pfefferbaum, B. (2001). The impact of the Oklahoma City bombing on children in the community. *Military Medicine*, 166, 49-50.
- Pfefferbaum, B., Call, J.A., Lensgraf, S.J., Miller, P.D., Flynn, B.W., Doughty, D.E., Tucker, P., Dickson, W.L. (2001). *Annals of Clinical Psychiatry*, 13(1), 19-24.
- Pfefferbaum, B., Nixon, S. J., Tivis, R. D., et al. (2001). Television exposure in children after a terrorist incident. *Psychiatry*, 64, 202-211.
- Pfefferbaum, B., North, C. S., Bunch, K., Wilson, T. G., Tucker, P., & Schorr, J. K. (2002). The impact of the 1995 Oklahoma City bombing on the partners of firefighters. *Journal of Urban Health*, 79, 364-672.
- Pine, D. S., & Cohen, J. A. (2002). Trauma in children and adolescents: Risk and treatment of psychiatric sequelae. *Biological Psychiatry*, 51, 519-531.
- Richards, D. (2001). A field study of critical incident stress debriefing versus critical incident stress management. *Journal of Mental Health*, 10(3), 351-362.
- Schuster, M.A., Stein, B.D., Jaycox, L., Collings, R.L., Marshall, G.N., Elliott, M.N., Zhou, A.J., Kanouse, D.E., Morrison, J.L., Berry, S.H. (2001). A national survey of stress reactions after the September 11, 2001, terrorist attacks. *New England Journal of Medicine*, 345(20),1507-1512.
- Schlenger, W. E., Caddell, J. M., Ebert, L., et al. (2002). Psychological reactions to terrorist attacks: Findings from the National Study of Americans' Reactions to September 11. *JAMA*, 288, 633-636.
- Sigma Theta Tau (2003). America in grief: Nurses respond to tragedy. Retrieved from <http://www.nursingsociety.org/publications>

- Silver, R.C., Holman, E.A., McIntosh, D.N., Poulin, M., Gil-Rivas, V. (2002). Nationwide longitudinal study of psychological responses to September 11. *JAMA*, 288(10), 1235-1244.
- Sprang, G. (2001). Vicarious stress: Patterns of disturbance and use of mental health services by those indirectly affected by the Oklahoma City bombing. *Psychological Reports*, (89),331-338.
- Stewart, L.N. (2000). Crisis intervention training for nurses. Ph.D. (123p)
- Stewart, W. F., Ricci, J. A., Chee, E., Hahn, S. R., & Morganstein, D. (2003). Cost of lost productive work time among US workers with depression. *JAMA*, 289, 9195-3143.
- Stuber, J., Fairbrother, G., Galea, S., et al. (2002). Determinants of counseling for children in Manhattan after the September 11 attacks. *Psychiatric Services*, 53, 815-822.
- Taintor, Z. (2003). Addressing mental health needs. In B. S. Levy & V. W. Sidel (Eds.). *Terrorism and public health: A balancing approach to strengthening systems and protecting people*. London: Oxford University Press.
- Tucker, P., Pfefferbaum, B., Nixon, S. J., & Dickson, W. (2000). Predictors of post-traumatic stress symptoms in Oklahoma City: Exposure, social support, peri-traumatic responses. *Journal of Behavioral Health Services & Research*, 27, 406-416.
- U.S. Department of Health & Human Services (2003). Disaster mental health. Retrieved from <http://www.mentalhealth.org/cmhs/EmergencyServices/links.asp>
- U.S. Department of Justice (2001). Office for Victims of Crimes handbook for coping after terrorism. Washington DC: US Printing Office, NCJ 190249.
- Veenema, T. G., & Schroeder-Bruce, K. (2002). The aftermath of violence: Children, disaster, and posttraumatic stress disorder. *Journal of Pediatric Health Care*, 16, 235-244.
- Weinstein, H. M., Dansky, L., & Iacopino, V. (1996). *Western Journal of Medicine*, 165(3),112-118.
- Williams, R.A. (1986). Crisis intervention. In Longo, D.C., & Williams, R.A. (Eds.), *Clinical Practice in Psychosocial Nursing: Assessment and Intervention*. Norwalk, CT: Appleton-Century-Crofts.
- Young, B. H., Ford, J. D., Ruzek, J. I., Friedman, M. J., & Gusman, F. D. (1998). *Disaster mental health services: A guidebook for clinicians and administrators*. Menlo Park, CA: The National Center for Post-Traumatic Stress Disorder, VA Palo Alto Health Care System.